

# AUTHORIZATION TO MARK

This authorizes the application of the Certification Mark(s) shown below to the models described in the Product(s) Covered section when made in accordance with the conditions set forth in the Certification Agreement and Listing Report(s). This authorization also applies to the Multiple Listee model(s) identified on the correlation page of the Listing Report.

This document is the property of Intertek Testing Services and is not transferable. The Certification Mark(s) may be applied only at the location of the Party Authorized to Apply Mark.

**Applicant:** McKeon Rolling Steel Door Company, Inc. dba McKeon Door Company  
44 Sawgrass Drive  
Bellport, NY 11713  
United States

**Contact:** Andrew Lambridis

**Phone:** 631-803-3000

**Fax:** 631-803-3030

**Email:** lambridis@mckeondoors.com

**Party Authorized to Apply Mark:** See following page(s)

**Evaluation Center:** Intertek (York)

**Client Number:** 203843

**CONFIDENTIAL**  
**PROPERTY OF McKEON**

Authorized By:   
Jean-Philippe Kayl, Director of Certification

Intertek Testing Services NA, Inc.  
545 E. Algonquin Road, Ste H., Arlington Heights, IL 60005 USA  
Phone: 847-439-5667 Fax: 847-439-7320



Intertek



Intertek

This document supersedes all previous Authorizations to Mark for the noted Report Number.

This Authorization to Mark is for the exclusive use of Intertek's Client and is provided pursuant to the Certification agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this Authorization to Mark. Only the Client is authorized to permit copying or distribution of this Authorization to Mark and then only in its entirety. Use of Intertek's Certification mark is restricted to the conditions laid out in the agreement and in this Authorization to Mark. Any further use of the Intertek name for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek. Initial Factory Assessments and Follow up Services are for the purpose of assuring appropriate usage of the Certification mark in accordance with the agreement, they are not for the purposes of production quality control and do not relieve the Client of their obligations in this respect.

<b>Testing Standard(s):</b>	FEMA 361, ICC-500 (2014)
<b>Product:</b>	McKeon - SafeSpace 500 Series Tornado & Hurricane Resistant Door

**ATM for Report:** H5680, F3964, E2664, G10337886,

**ATM Issue Date:** 4/23/2020

**Listing Section(s):** WIND LOAD RESISTANT DOORS

**CSI Code(s):** 08 34 00 Special Function Doors

**Description:**

**McKeon SafeSpace 500 Series Tornado & Hurricane Resistant Door**

**CONFIDENTIAL**  
**PROPERTY OF McKEON**

**ICC-500-2014 PRODUCT ASSEMBLY & RATINGS**

Assembly Type	Permitted Size	Tornado Resistance	Tornado Impact Rating
Roll-up Tornado Shelter Door	Min: 4'-4" wide* 4'-0" high  Max: 16'-4" wide 18'-0" high	+200/200 PSF  +252/-252PSF when limited to 4'4" wide doors	100 MPH 15 lbs.
Configuration  Mounted to the inside surface of a tornado shelter wall	Door: McKeon SafeSpace 500 Series Tornado & Hurricane Resistant Door  Upwardly acting roll-up door assembly with 3" steel slats and structural support guide system		

\*Width is tip to tip of support guide angles

Assembly Type	Permitted Size	Hurricane Resistance	Hurricane Impact Rating
Roll-up Hurricane Shelter Door	Min: 4'-4" wide* 4'-0" high  Max: 16'-4" wide 18'-0" high	+200/200 PSF	100 MPH 9 lbs.
Configuration  Mounted to the inside surface of a Hurricane shelter wall	Door: McKeon SafeSpace 500 Series Tornado & Hurricane Resistant Door  Upwardly acting roll-up door assembly with 3" steel slats and structural support guide system		

\*Width is tip to tip of support guide angles

**Party(s) Authorized by Manufacturer To Apply Mark:**  
None

**Party(s) Authorized by Other Parties To Apply Mark:**  
None

**CONFIDENTIAL**  
**PROPERTY OF McKEON**